

# Request for Proposals for Residential HVAC Services May 22nd, 2019

## **Project Description:**

The Cabarrus County Planning and Development Services Department may be awarded funding to administer the Weatherization Program, the Heating and Air Repair and Replacement Program, and the Housing and Home Improvement Program for 2019-2020 for Cabarrus County. As part of that program, heating and air systems are evaluated for efficiency and working condition

## Scope:

Cabarrus County is accepting proposals from HVAC contractors for potential work under the Weatherization Program. The Weatherization Program requires special paperwork in addition to typical hvac services. The contractor cannot be disbarred from performing work with federal funds and must have a valid North Carolina HVAC license. Cabarrus County may or may not award bids or enter into contracts for hvac services for the Weatherization Program. All HUD, DOE, and Heating and Air Repair and Replacement Program regulations apply. All contractors are required to carry liability, auto, and if applicable, workman's compensation at approved levels by the County. Count insurance requirements are attached at the end of this document.

All contractors submitting proposals must include background checks for any employees that would be going to homes to perform work. You may go to the website <a href="https://www.tclogiq.com/">https://www.tclogiq.com/</a> in order to get background checks that are nationwide.

### E-Verify:

As required by N.C.G.S. §143-48.5 (Session Law 2013-418), the Subgrantee certifies that it, and each of its subcontractors for any contract awarded as a result of this solicitation, complies with the requirements of Article 2 of Chapter 64 of the NC General Statutes, including the requirement for each employer with more than 25 employees in North Carolina to verify the work authorization of its employees through the federal E Verify system. Proof of participation must be presented for companies larger than 25 employees.

The contractor may not solicit or provide additional services outside the contract with Cabarrus County to low-income clients who have received NC WAP services or HHI services due to their contact with the client through Cabarrus County programs.

Must follow North Carolina Weatherization Program's Standard Work Specifications

# **Proposals:**

All proposals must be submitted by Tuesday, May 31st, at 3:30 p.m. to Kelly Sifford of the Cabarrus County Planning and Development Department. For more information or clarification call 704-920-2142 or email: kfsifford@cabarruscounty.us.

Proposals should be submitted to:

Mailing address:

Cabarrus County Planning and Development Services Department Kelly Sifford P.O. Box 707 Concord, NC 28026

Physical address:

Cabarrus County Planning and Development Services Department Kelly Sifford 65 Church St. SE Suite 280 Concord, NC 28025

Please submit estimates for the following typical hvac activities and/or repairs on the chart that follows:

- See Schedule A & B for scope and pricing submission.
- Evaluate, Clean, and Tune. This price should include pricing for tune ups to include filling out the attached document for each job. This should be submitted in the form of an hourly rate and projected amount of time for a typical job. Combustion testing is required. Any company wishing to participate must have their own combustion analyzer that is calibrated on a regular schedule.
- 2. System Recharging. Cost per pound.
- 3. Cost of system replacements. The following information should be included: The system should be a minimum of 13 SEER. Prices for 2 ton, 2.5 ton, 3 ton, and 3.5 ton gas

and electric hvac units. Please include names of brands being priced. All typical material and labor costs should be included.

4. Basic installation of exhaust fans with and without venting. It is understood that each job is different. A range will be sufficient.

\*It is understood that this pricing is an estimate on a typical job and that there are no sit factors included.

\*\* To use lead safe weatherization in all homes older than 1978 where the possibility of generating dust, both indoors and outdoors, exists. There is no de minimus level recognized, however; the preparation area and clean up area should be sized appropriately for the job. Pictures of the lead safe set up must be taken and included with the invoice or emailed to the agency where this may apply. Lead safe weatherization does not need to be followed in homes older than 1978 that have been certified as lead safe by third party verification.

\*\*\*Must comply with regulations of OSHA 29 CFR Standard 1910.146 – Permit-Required Confined Spaces. Expired permits must be submitted with invoices.

Any protests regarding contract awards should be addressed to the Finance Director in writing within 5 working days of notification of the award at:

US Mail:

Cabarrus County Finance Susan Fearrington, Finance Director P.O. Box 707 Concord, NC 28026

Physical address:
Cabarrus County Finance
Susan Fearrington, Finance Director
65 Church St. SE Suite 288
Concord, NC 28025

CABARRUS COUNTY IS AN EQUAL OPPORTUNITY EMPLOYER AND SERVICE PROVIDER AND ENCOURAGES SMALL, FEMALE, AND/OR MINORITY FIRMS TO SUBMIT PROPOSALS.

#### **SCHEDULE A**

#### Scope of Services

The Subcontractor agrees to provide the services and/or materials described in detail below:

- Evaluate, clean and tune (ECT) heating/cooling equipment per ANSI/ACCA Standard 4 (Maintenance of Residential HVAC Systems) and North Carolina Weatherization Assistance Program Guidelines, providing full documentation of tests performed, conditions observed and recommended actions.
  - Evaluation should include a visual inspection of existing ductwork, and, if applicable, notifying the Contractor of any deficiencies noted.
  - b. Evaluation should include combustion and safety testing, if applicable.
  - c. Conduct minor repairs to the heating/cooling system as determined by the ECT. For the purposes of this agreement, minor repairs are defined those repairs that and may be performed by Subcontractor performing the ECT service at the time of the initial service at no additional cost.
  - d. Specify any additional work needed by electrician and/or plumber to achieve efficient, safe and code compliant operation of the unit. Any electrical and/or plumbing services must be separately contracted with by the Contractor; if the Subcontractor has a preference for a specific electrical or plumbing service provider, he/she may submit that request to the Contractor.
  - e. Follow procedures for servicing, repairing, and disposing of any and all refrigerant-containing devices, units, and systems as outlined by federal, state, and local laws and regulations now in effect or hereinafter enacted which pertain to the Federal Clean Air Act of 1990.
  - Remove any and all non-functioning equipment and parts associated with system, including obsolete ductwork, unless otherwise specified by the Contractor.
- Replace non-functioning HVAC equipment with equipment of comparable size and type according to Manual J calculations and having an efficiency rating meeting or exceeding Section 7610 of the NC Weatherization Installation Standards. New System must use the same fuel type (oil, propane, electric, etc) as the existing system unless prior approval is granted by Contractor to convert fuel type. If provided, the air filters for the new system shall be rated at MERV 6. Installation must meet ANSI/ACCA Standard 5 (Installation of Residential HVAC Systems) and North Carolina Weatherization Assistance Program Guidelines.
  - a. Specify any additional work needed by electrician and/or plumber to achieve efficient, safe and code compliant operation of the unit. Any electrical and/or plumbing services must be separately contracted with by the Contractor; if the Subcontractor has a preference for a specific electrical or plumbing service provider, he/she may submit that request to the Contractor.
  - Remove any and all non-functioning HVAC equipment and parts associated with system, including obsolete ductwork.
  - c. Follow procedures for servicing, repairing, and disposing of any and all refrigerant-containing devices, units, and systems as outlined by federal, state, and local laws and regulations now in effect or hereinafter enacted which pertain to the Federal Clean Air Act of 1990.
  - d. Provide original documentation of the Manual J calculation, new HVAC system operation manual and warranty information to the Contractor with the invoice.

#### SCHEDULE B Subcontractor Compensation

All labor rates quoted must include all overhead cost including travel, worker compensation, equipment, maintenance, administrative costs, and worker pay. These price categories should be adequate for installing insulation in most weatherization situations. If a particular category will not apply, indicate by stating (N/A) "not applicable" in the price sections. Please avoid adding unnecessary price categories.

TASK 1: Evaluate, clean and tune (ECT) heating/cooling equipment per ACCA/ANSI Standard 4 and North Carolina standards, providing full documentation of tests performed and recommendations.

Set Price per unit	

TASK 2: Diagnose heating/cooling equipment with repairs and/or parts replacement, as necessary. Task 2 is only to evaluate an inoperable system, not to clean and tune it.

Set Price per unit	

TASK 3: Replace existing non-functioning heating/cooling equipment with new HVAC equipment. The cost should include labor for sizing central systems using ACCA Manual J. Ensure that efficiency meets or exceeds the requirements in section 7610 of the North Carolina Weatherization Installation SWS.

Repair work in which only an air handler or condenser shall be replaced, shall not be required to meet the efficiency requirements.

		Option 1*	Option 2*	Option 3*
	Make/Model			
Floatsia Hook	Size/Rating			
Electric Heat	Efficiency (HSPF)			
Pump (split)	Material Cost			
	Labor Cost			
	Make/Model			
	Size/Rating			
Natural Gas	Efficiency			
Furnace	Material Cost			
	Labor Cost			
	AC included?			
	Make/Model			
Natural Gas	Size/Rating			
	Efficiency			
Package	Material Cost			
	Labor Cost			
	Make/Model			
Darlingard	Size/Rating			
Packaged	Efficiency (HSPF)			
Heat Pump	Material Cost			
	Labor Cost			
	Make/Model			
Natural Gas	Size/Rating			
Vented Space	Efficiency			
Heater	Material Cost			
	Labor Cost			

	Make/Model		
	Size/Rating		
Fuel Oil	Efficiency		
Furnace	Material Cost		
Turridee	Labor Cost		
	AC included?		
	Make/Model		
Propane	Size/Rating		
Vented Space	Efficiency		
Heater	Material Cost		
ricatei	Labor Cost		
	Make/Model		
Fuel Oil	Size/Rating		
Vented Space	Efficiency		
Heater	Material Cost		
neater			
	Labor Cost		
	Make/Model		
Electric Mini	Size/Rating		
Split	Efficiency (HSPF)		
	Material Cost		
	Labor Cost		
	Make/Model		
	Size/Rating		
Central AC	Efficiency		
	Material Cost		
	Labor Cost		
	Make/Model		
	Size/Rating		
Propane	Efficiency		
Furnace	Material Cost		
	Labor Cost		
	AC included?		
	Make/Model		
Vented Solid	Size/Rating		
Fuel Oven	Efficiency		
(Wood/Coal)	Material Cost		
	Labor Cost		
	Make/Model		
	Size/Rating		
Unit Natural	Efficiency		
Gas Boiler	Material Cost		
	Labor Cost		

Please consider options for variously sized site-built vs. manufactured homes. Note that the Weatherization Assistance Program does not install electric furnaces and the heating efficiencies requirements are often greater than the mechanical code.

Cabarrus County Minimum Insurance Coverage Requirements

Coverage	Low Risk Profile	Medium Risk Profile (County's Standard Requirement)	High Risk Profile	Specialty	Encroachment	Premises Lease
Commercial General Liability	\$1,000,000 Combined Single Limit (CSL) per occurrence for bodily injury and/or property damage	\$1,000,000/\$2,000,000 *	\$1,000,000/\$2,000,000*	\$1,000,000*	\$1,000,000	\$1,000,000
Products/Completed Operation	As above	As above If any, limit To Be Determined	As above If any, TBD	As Above If any TBD		
Automobile Liability (hired & non- owned or Any Auto on the CO!)	\$1,000,000 CSL per occurrence	\$1,000,000*	\$1,000,000.18	\$1,000,000	n/a	n/a
"Workers' Compensation	Statutory	Statutory	Statutory	Statutory	n/a	Statutory
** Employers Liability	100/500/100	500/500/500*	\$00/200/500*	500/500/500*	n/a	100/500/100
Waiver of Subrogation on WC	Required if available	Required if available	Required	Required	n/a	n/a
	pla	n/a	\$2,000,000+	\$9,000,000	n/a	n/a
Professional Liability may be required on a risk profile depending on nature of a risk profile depending on nature of services provided by contract. Coverage required for professional service such as accountant, attorney, archiect, design,	\$1,000,000 per occurrence		ТВО	ТВО	n/a	n/a
engineering and most consumants  Environmental/Pollution Liability required if demoition, use of hazardous materials or	n/a	\$1,000,000*	\$1,000,000+*	\$1,000,000+	n/a	n/a
sourionnediaty sensures Fidelity Bond (loss of money or other property due to dishonest acts). Only for Contracts such as Banking, Janitorial, Fund Raising, TPA's and similar	TBD	Amount depends on exposure to loss	твр	<b>DBT</b>	n/a	n/a
Other Coverage As Required	TBD	TBD	TBD	TBD	n/a	n/a
Rid Performance & Payment Bonds	TBD	твр	TBD	TBD	n/a	n/a

A combination of UnbreiseExcess and primary limit may be used to provide coverage for the amount shown.
 \*\* Vibrates Compensation is required. If the contractionendor has employees. Owner Vibrate is acceptable for a Sole Proprietor, Panners or LLC that has no employees. Corporation owner/officers are employees under NC Workers Compensation Act.

Page 1

	Low Risk Exposure	Standard Risk	High Risk Exposure Specialty	Specialty
Common Service for Risk Profile includes but is not necessarily limited to service shown.	Desk Top Publishing Mail Sorting Word Processing Copynid Copyn	Appliance Repair Abstess Removal (small project) project) Carpentry Carpentry Carpertry Carpertry Carpert Cleaners Concrete Work Carch Installation Fire Exhiguisher Testing Fire Exhiguisher Testing Fire Exhiguisher Testing Fire Exhiguisher Repair Fire Carrior Repair Landscaping (minor excavation) Medicadi Psychiotogy. Connesting, Etc. Panitrior Parint Schoristors Paris & Recreation retrovation Plumbing Pool Cleaning Purchase of Goods or Service Refrigeration Refrigeration Refrigeration Free Maintenance	Charlers Excavation (large) Excavation (large) Fireworks Displays Fireworks Displays H 1 Tech equipment installation. Lendscaping (major excavation, large equipment) Large Construction Parlands above 1 story Road Contractor Road Contractor Road Contractor Welding (large project) Sewer Contractor Welding (large project)	Asbestos Removal Grans Service Demolition Environmental Hazard Heavy Construction Sensitive Equipment

Personal & Professional Service includes but is not necessarily limited to service	Appraiser (Comm Dev) Disc Jockey Discussion Leader	Accountant Advertising Agencies Other Appraisers	Architect (large project) Consultants (large project) Medical Services	Project or contract determined to require higher limits
SHOWI.	Proofreader Landscape Design (small project)	Architect (small project) Attorney		
	Title Search Firm (Comm Dev)	Consultants (most projects) Designer (most projects) FAP		
		Insurance Brokers Instructor (physical activity) Landscape Design (other)		
		Lobbyists Programmers Researcher Temporary Services		

Certificates of Insurance should include the following: Cabarrus County

Cabarrus County
 Contract must represent Cabarrus County which includes its officials, agents and employees. If not then the Certificate must reflect.

Its officers, officials, agents and employees as an additional insured

3. Disclose any self-insured retention (allowed only if pre-approved by County).

4. Designate the Cabarrus County Attn. Risk Management Department. PO Box 707. Concord. NC 28025 as certificate holder.

5. Provide that the County shall be notified by the agent or insuren. The vendor is responsible notifying the County of any cancellations.

6. Certificate should be forwarded directly from the insurance agent or insurance carrier.

7. Contractors or vendors insurance shall be primary over any criter insurance available to the County.

8. Contractors agent or insured and provide the County with the additional insured language. The additional insured endorsement form to be requested is CG20 10 11 85 (if not available please notify Risk Management)

-other acceptable forms CG2010 0704 and CG 2037 0704 combined

Contract insurance requirements must be met. Receipt of a non-compliant certificate, other documentation of insurance or policies by the County or any of its representatives does NOT constitute a waiver of the vendcr/contractor's obligation to fulfill the insurance requirements of the County. It is recognized that a purchase order for the routine procurement of goods may not explicitly state insurance requirements. However, departments should review each acquisition to identify potential risks that may require the imposition of insurance requirements. The County's failure to request or demand evidence of insurance shall not constitute a waiver of any insurance requirement.

Those parties who do not meet the minimum requirements for insurance coverage may ask for an exception through the User department. A

A combination of UmbrellarExcess and primary limit may be used to provide coverage for the amount shown.
 Workers Compensation is required if the contractor/vendor has employees. Owner Waiver is acceptable for a Sole Proprietor, Partners or LLC that has no employees. Corporation owner/officers are employees under NC Workers' Compensation Act

Page 3

9

certificate of insurance for the maximum limits of coverage that are carried by the vendor must be submitted to the Cabarrus County, Risk Manager along with a detailed explanation of services and/or products to be provided to the County by the vendor. The User Department should be prepared to answer the following questions when requesting an exception:

1. What activities will take place?

2. Who could be harmed?

3. What property could be damaged and how severely?

4. What is the maximum lexposure (worst case scenario) for the activity?

5. What is the maximum lexposure?

6. Is there a possible pollution exposure?

7. Are crowds or bystanders/passersby likely to be involved?

8. Will inherently dangerous activities be involved?

9. How likely is the County to be a defendant in the event of a loss?

9. How likely is the County to be a defendant in the event of a loss?

10. Are other contractors/vendors available to do the work that have the County minimum limits?

11. What are the cost of the work (bid, contract or PO price) and the duration of the work?

12. What is the cost to the vendor to increase coverage to the County's requirement?

The request will be reviewed by the County's Risk Manager for a determination as to whether an exception will be made. Failure to obtain an exception will eliminate the requesting party as a vendor.

Insurance requirements subject to change without notice.

# **North Carolina Weatherization Assistance Program** Heating, Ventilation, and Air Conditioning System Evaluation Report

Every Weatherized dwelling in NC shall have all HVAC systems evaluated by a licensed HVAC technician (limitations apply). HVAC evaluations and related services provided under the NCWAP, shall comply with the American National Standards Institute/Air Conditioning Contractors of America (ACCA) Standard-4 (2008) and the NC Weatherization installation Standards. An NCWAP HVAC Evaluation Report shall be completed by a technician in conjunction with every evaluation performed and shall accompany any request prayment. NCWAP shall define an Evaluation as incorporating all Inspection, Maintenance, and Testing procedures mandated by ACCA Standard-4, as applicable per system type.



. Job Information: All fields requ	ired. Shaded fields to be comp	leted by the Weath	nerization Servic	e Provider (WSP).	
Client Name:		Jo	b Number:		
Street Address:		Da	ate Assigned:		
City, ST Zip:	4 1 T. V. X. V. 1009	As	signed By:	1 10.61	
Company Name:		Та	rget Completion	n Date:	
Technician Name:					
				vice Appt: am/pm	
II. System Identification: All fiel					
	<u> </u>				
		Are Unvented Spa		rimary Heat Source? Yes N	
	em 1 that apply)		The second secon	tem 2 I that apply)	
☐ Electric	Forced Air	☐ Electric	Į Cili	☐ Forced Air	
Natural Gas	Gravity	☐ Natural Gas		Gravity	
Propane	Boiler	Propane		Boiler	
Oil (No)	Space Heater	Oil (No.	)	Space Heater	
Kerosene	Unvented Space Heater	Kerosene		☐ Unvented Space Heater	
Solid Fuel (Wood, Coal, Pellet)	☐ Water Heater	Solid Fuel (Wo	od, Coal, Pellet)	☐ Water Heater	
Brand/Trade Name	Brand/Trade Name				
Model No		Model No	(======================================		
Serial No.		Serial No			
Date Manufactured		Additional and the control of the co	ed	Control and the Control of the Control	
System Size	btu/ton/other			btu/ton/other	
Location		Location			
	tem 3		The second secon	tem 4 Il that apply)	
☐ Electric	Forced Air	☐ Electric		Forced Air	
☐ Natural Gas	Gravity	☐ Natural Gas		Gravity	
Propane	Boiler	Propane		Boiler	
Oil (No)	Space Heater	☐ Oil (No	)	Space Heater	
Kerosene	☐ Unvented Space Heater	Kerosene		☐ Unvented Space Heater	
Solid Fuel (Wood, Coal, Pellet)	☐ Water Heater	Solid Fuel (Wo	ood, Coal, Pellet)	☐ Water Heater	
Brand/Trade Name		Brand/Trade Nan	ne		
Model No					
Serial No.					
Date Manufactured			ed	www.mades.coa.coa.coa.coa.coa.coa.coa.coa.coa.coa	
System Size	btu/ton/other	System Size Location		btu/ton/other	

- Refer to the North Carolina Weatherization Installation Standards (NCWIS) for guidance on allowable system types that may contribute to a Primary Heat Source.

  ↑ Refer to the NCWIS for guidance on allowable system types that may contribute to a compliant Supplemental Heat Source.

   Presence of an Unvented Space Heater(s) as the Primary Heat Source in a Weatherized dwelling shall be strictly prohibited. Refer to the NCWIS for guidance on allowable Unvented Space Heater usage. Evaluations that identify prohibited usage shall cease immediately, and the Weatherization Service Provider shall be immediately notified.

NCWAP January 2012

**HVAC Evaluation Report** 

Page 1 of 4

III. System Evaluation: Record results of Inspection, Maintenance, and Testing completed on each system type/component.

FP = Functioning Properly	NR =	Needs			= Replacement Recommended	(	CP = Cle	aning Pe	erformed
	Co			n Taken			Conditi	on/Actio	n Taken
Description	FP	NR	RR	CP	Description	F		•	CP
Controls and thermostat					Zone controls and dampers				
Electrical disconnect					Main trunk line				
Electrical connections					Duct insulation				
Cabinet/fasteners/panels					Fan belt tension				
Temperature rise °F					Blower assembly				
Filter(s)					Contacts/relays /capacitors		_		
Registers and duct boots	***************************************				Fan on/off temperatures		°F		°F
					TRAL ELECTRIC SYSTEMS				
Description				on Taken	Description			Action T	
	FP	NR	RR	СР		FI		RR	CP
Variable frequency drive					Air handler				
Airflow across element(s)					Element(s)				
C					ENTRAL AIR CONDITIONING SYST	EMS			Brian (Section
Description				n Taken	Description	-		ion/Actio	
Condonsor unit	FP	NR	RR	CP	Pofrigorant line insulation	FI		RR	СР
Condenser unit Condenser fan motor	H	H	H	H	Refrigerant line insulation Airflow across coil	F	=	H	H
Condenser ran motor  Condenser coil & fins*	H	H	H	H	Evaporator coils & fins*	F		H	H
Condensate drain	H	H	H	H	Reversing valve operation		= =	ä	H
Drain pans	H	H	H	H	Superheat/subcool results	F		H	H
Condensate ports—indoor	H	H	H	H	Fan speed	_		ш	RPM
Defrost cycle settings	H	H	H	H	Pressure drop across coils				
	H	H	H	H					psi °F
Refrigerant lines	ш	ш	ш	ш	Temperature drop across coils			* Straighte	en fins as needed.
					GAS AND PROPANE FURNACES				
Description	FP Co	onditio NR	n/Actio	on Taken CP	Description	F			on Taken CP
Gas leaks					Condition of chimney	Ė	_		
						Ē			
Burner (corrosion, etc)	_		_		Condensate piping/drain				
Burner test					Combustion air intake				
Burner blow wheel					Vent connectors				
Main burner ignition					90+ unit pipe condition				
Heat exchanger					Evidence of flame rollout?		Yes	No	
Hot surface igniter					Chimney lined?		Yes	□No	
Combustion chamber					Distance from combustibles		Pass	Fail	
Burner gaskets					Vent system code compliant?		Yes	□No	
Inlet gas pressure					Fuel usage (clock meter)				therms/h
Manifold pressure		П			Is usage within 10% of namep	late?	□Yes	ПNо	
					FURNACES (WOOD/COAL/PELLET				
				on Taken			Condi	tion/Acti	on Taken
Description	FP	NR	RR	CP	Description		P NF	RR	CP
Condition of chimney					Fuel type	□w <sub>0</sub>	ood	Coal [	Pellet
Condition of liner					Heat exchanger cracked*		Yes	No	
Vent connectors					Heat resistant shielding		Pass	Fail	
Correct vent type?		res [	No		Gaskets		Pass	Fail	
Vent meets code (1/4" rise per fo	ot)	res [	No		Circulating fan		Pass	Fail	

III. System Evaluation Continue		
FP = Functioning Properly		Replacement Recommended CP = Cleaning Performed
	Condition/Action Taken	OIL FURNACES  Condition/Action Taken
Description	FP NR RR CP	Description FP NR RR CP
Combustion chamber		Combustion air intake
Burner gaskets		Condition of liner
Retention head		Photocell resistance $\_\_\_ \Omega$ $\square$ Pass $\square$ Fail
Ceramic insulation		Replace oil burner nozzle* ☐Yes ☐No
Electrode positioning		Replace fuel filter* ☐Yes ☐No
Clean combustion air inlet		Chimney lined? ☐Yes ☐No
Burner head/nozzle		Oil residue in chamber?
Vent connectors		Bleed oil line* ☐Yes ☐No
Heat exchanger		Evidence of flame rollout?
Test inducer fan motor		Ignition transformer voltage V
Test blower assembly		Distance from combustibles
Oil pressure (measure/adjust)		Vent type correct for furnace? ☐Yes ☐No
Oil pump pressure		Vent meets code (1/4" rise per foot) ☐Yes ☐No
Fuel pump pressure cutoff		
Primary burner safety control		* Required maintenance item:
		INTED SPACE HEATERS
Syste	em 1	System 2
Description	Condition/Action Taken FP NR RR CP	Description Condition/Action Taken FP NR RR CP
D		Burners
Burners		Vent connectors
Vent connectors Condition of liner		Condition of liner
Gas leak(s)?	☐Yes ☐No	Gas leak(s)?
Evidence of flame rollout?	□Yes □No	Evidence of flame rollout?
Clearance from combustibles?	□Pass □Fail	Clearance from combustibles?
Vent type correct for furnace?	□Yes □No	Vent type correct for furnace? ☐Yes ☐No
Vent meets code (1/4" rise per fo		Vent meets code (1/4" rise per foot)? ☐Yes ☐No
Chimney lined?	□Yes □No	Chimney lined? ☐Yes ☐No
Number of elbows in vent system		Number of elbows in vent system?
DATE OF A CASE O		RONIC LOOP BOILERS
Description.	Condition/Action Taken	Description Condition/Action Taken
Description	FP NR RR CP	FP NR RR CP
Reducing valve screen		Condition of plumbing
Pressure reducing valve		Water temperature change°
Bladder expansion tank		Water loop pressure change ps
Water pump		
	COMPLETE FOR ALL VENT	ED FUEL-FIRED SYSTEMS*
Ambient CO	ppm	Ambient temperature°
Spillage test	Pass Fail Not applicable	CAZ volume (if applicable)ft
Worst case CAZ	Pa	Additional venting needed in
Draft (at worst case)	Pa	Pressure switch Pass Fail Not applicable
PORT 1	PORT 2	PORT 3 PORT 4
Steady state efficiency%	Steady state efficiency%	Steady state efficiency% Steady state efficiency
COppm	COppm	COppm COpp
O <sub>2</sub> %	6 O <sub>2</sub> %	O <sub>2</sub> % O <sub>2</sub>
CO <sub>2</sub> %	6 CO <sub>2</sub> %	CO <sub>2</sub> % CO <sub>2</sub>
Stack temperature°F	Stack temperature°F	Stack temperature°F Stack temperature
Refer to the NCWIS for guidance on comp	pliant combustion testing standards and method	5.

NCWAP January 2012 HVAC Evaluation Report Page 3 of 4

IV. Declaration of System Compliance: Official summary of conditions post-Evaluation (Inspection, Maintenance, and To	ı resting
---	-----------

System No. 1	System No. 2	Sys	stem No. 3			System	No. 4
Passes Fails	Passes Fails	Passes	Fa	ails	Passes	5	Fails
rovide a detailed description of	deficiencies identified in each failed sy	stem (continue on	back if additiona	il space is neede	d):		
II. MINOR Repairs Completed	d: Authorized repairs completed a	t time of Evalu	uation, beyo	and the mai	ndated s	cope of	services.+
Detailed Description	on of Minor Repairs Completed:			Materia	als Installe		
			Material Des	scription	QTY	Unit	Total Cost
			Actual Labo	or Hours			
Comments:				Total Materia	als:		
				Total Labor:			
				Total Actual	Cost:		
Refer to NCWAP guidance for limitations	on allowable Minor Repairs that may be perform	ed in conjunction wi	ith standard HVA	C Evaluations.			
. MAJOR Repair/Replacemen	t Recommended: Must be fully jus	stified by the o	description of	of the failur	re writte	n above	2.
Detailed Description of Ma	jor Repair/Replacement Recommende	ed:		Estimated	Material	Costs	
			Material Des	scription	QTY	Unit	Total Cos
			Estimated Lab	oor Hours			
Comments:				Total Estima			
			H-	Total Estima			
L Oufer to NOMAD and down for Beritable	on allowable Major Repairs or Replacements per	eformed which are		Total Estima			
certify that I have personally evalua CCA Standard-4. I understand that f the WSP, and neither I nor any rep	Evaluation:  ne State of North Carolina, and as an employ and the subjected all HVAC systems present in the subjected and subsequent services, for which the presentative of my firm, shall be at libert eport, and repairs performed (if any) are	ject dwelling, inc property owner/ y to state or imp	luding all insp client may be ly that additio	eligible, shall nal services c	be detern an, should	nined at t d, or will	he sole discret be provided.
echnician Printed Name:			D	ate:			
echnician Signature:				ate:			
ervices of a licensed HVAC techn Veatherization Assistance Program valuation, nor any repairs made he VSP, in compliance with NCWAP st	ed herein, I understand and agree that ician to evaluate and service the HVA services for which I may eligible. I ur rerunder, and that any subsequent servi andards and guidelines. I further certify st that the nature and quality of all work	AC systems pres nderstand that n ces for which I m that to the bes	ent in my do no warranty e nay be eligible t of my knowl ceptable to me	welling on mither express shall be dete edge, the evaluation.	y behalf, ed or impermined a aluation a	as a recolied shall the sole s recorde	quirement of the accompany to discretion of the control of the con

14

HVAC Evaluation Report

Page 4 of 4

NCWAP January 2012